技术领域

本实用新型涉及一种价木柄。

背景技术

日常生活中,我们会在各种场合用到手柄,例如:拖把、扫把等,目前用的手柄一般为金属管、木质、竹子等材料,金属管手柄的制作成本较高,而且容易被腐蚀损坏,木质手柄制作时材料浪费较多,强度较差,竹子手柄为天然竹杆,表面有竹节,比较粗糙,容易开裂,而且粗细也不均匀。

发明内容

本实用新型的目的是:提供一种竹木柄,它由若干个竹木片粘合成实心的手柄,既保留了竹杆、木杆手柄优良的天然性能,又弥补了竹杆和木杆手柄表面粗糙、容易开裂、粗细不均、强度较差等缺陷。

本实用新型的技术方案是:一种价木柄,截面呈圆形,它由一片中心价木片及四片周边价木片粘合形成,中心价木片的截面呈方形,周边价木片的截面呈弧形。

本实用新型进一步的技术方案是:一种价木柄,截面呈圆形,它由一片中心价木片及四片周边价木片粘合形成,中心价木片的截面呈方形,周边价木片的截面呈弧形;所述周边价木片的截面由一条弧形边、一条短直边和一条长直边组成,短直边与长直边相交成直角,长直边的长度大于方形中心价木片的边长,并且长直边与中心价木片粘合,短直边与相邻周边价木片的长直边伸出中心价木片的一部分粘合。

本实用新型更详细的技术方案是:一种价木柄,截面呈圆形,它由一片中心价木片及四片周边价木片粘合形成,中心价木片的截面呈方形,周边价木片的截面呈弧形;所述周边价木片的截面由一条弧形边、一条短直边和一条长直边组成,短直边与长直边相交成直角,长直边的长度大于方形中心价木片的边长,并且长直边与中心价木片粘合,短直边与相邻周边价木片的长直边伸出中心价木片

WO 2006/053486 PCT/CN2005/001915

的一部分粘合;所述中心竹木片由两片相同的、截面呈矩形的小竹木片粘合组成。

本实用新型的优点是:

- 1. 本实用新型由多片竹木片粘合成实心的竹木柄,既保留了竹杆手柄优良的天然性能,又弥补了竹杆手柄表面粗糙、容易开裂、粗细不均、强度较差等缺陷。
- 2. 本实用新型由中心竹木片和周边竹木片粘合而成, 粘接结构合理, 不仅节省材料, 而且强度好。

附图说明

下面结合附图和实施例对本实用新型作进一步的描述:

图 1 为主视图:

图 2 为图 1 的截面图。

其中: 1 中心竹木片; 11 小竹木片; 2 周边竹木片; 21 弧形边; 22 短直边; 23 长直边。

具体实施方式

实施例:如图 1、图 2 所示,一种竹木柄,截面呈圆形,它由一片中心竹木片(1)及四片周边竹木片(2)粘合形成,中心竹木片(1)的截面呈方形,周边竹木片(2)的截面呈弧形,中心竹木片(1)由两片相同的、截面呈矩形的小竹木片(11)粘合组成,周边竹木片(2)的截面由一条弧形边(21)、一条短直边(22)和一条长直边(23)组成,短直边(22)与长直边(23)相交成直角,长直边(23)的长度大于方形中心竹木片(1)的边长,并且长直边(23)与中心竹木片(1)粘合,短直边(22)与相邻周边竹木片(2)的长直边(23)伸出中心竹木片(1)的一部分粘合。

本实用新型由多片价木片粘合成实心的价木柄,既保留了价杆手柄优良的天然性能,又弥补了价杆手柄表面粗糙、容易开裂、粗细不均、强度较差等缺陷;本实用新型由中心价木片(1)和周边价木片(2)粘合而成,粘接结构合理,不仅节省材料,而且强度好

本实用新型可以用木片制作,也可以竹片制作,还可以用竹木复合材料制作。


WO 2006/053486 PCT/CN2005/001915


权利要求:

1. 一种价木柄,截面呈圆形,其特征在于:它由一片中心价木片(1)及四片周边价木片(2)粘合而成,中心价木片(1)的截面呈 方形,周边价木片(2)的截面呈弧形。

- 2. 根据权利要求 1 所述的价木柄, 其特征在于: 所述周边价木片(2)的截面由一条弧形边(21)、一条短直边(22)和一条长直边(23)组成,短直边(22)与长直边(23)相交成直角,长直边(23)的长度大于方形中心价木片(1)的边长,并且长直边(23)与中心价木片(1)粘合,短直边(22)与相邻周边价木片(2)的长直边(23)伸出中心价木片(1)的一部分粘合。
- 3. 根据权利要求 1 或 2 所述的价木柄, 其特征在于: 所述中心价木片(1)由两片相同的、截面呈矩形的小价木片(11)粘合组成。

WO 2006/053486 PCT/CN2005/001915





INTERNATIONAL SEARCH REPORT

International application No.
PCT/CN2005/0019

			PCT/C	N2005/001915		
A. CLASSIFICATION OF SUBJECT MATTER						
According to	A47L11/22 A47L13/022 B25G1/00 According to International Patent Classification (IPC) or to both national classification and IPC					
		l h., alai	.1.3			
	Minimum documentation searched (classification system followed by classification symbols) IPC7: A47L+ B25G+					
Documentat	ion searched other than minimum documentation to the	e extent that such docur	nents are included:	in the fields searched		
Chinese	Patent Document(1985-)					
Electronic d	ata base consulted during the international search (nar	ne of data base and, whe	re practicable, sear	ch terms used)		
CNPAT, W	PI, EPODOC, PAJ: bamboo or wood hub o	or shank or chip or stic	ck or handle	·		
C. DOCU	MENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where a	ppropriate, of the releva	nt passages	Relevant to claim No.		
A	CN1354074A(LIN, Qiwen) 19.Jun. 2002(19.06.20)	02) whole document		1-3		
Α	CN2582831Y(ZENG, Qingfang) 29.Oct. 2003(29.1	0.2003) whole documen	ıt	1-3		
A	CN2475518Y (JIEXI County FengianFengde Plastic Plant) 06.Feb.			1-3		
Α	2002(06.02.2002) whole document P2-235624A(YAMAMOTO K) 18.Sep. 1990(18.09.1990) whole document			1-3		
Α	JP2003-325414A(SHIBA N) 18.Nov. 2003(18.11.2003) whole document		1-3			
Α	GB2181751A(CLOVER MFG CO LTD) 29.Apr. 1987(29.04.1987) whole document		1-3			
A	US4646543A(OKADA) 03.Mar. 1987(03.03.1987) whole document			1-3		
☐ Furthe	or documents are listed in the continuation of Box C.	See patent fami	ily annex.			
 Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance 		"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention				
interna	international filing date international filing date cannot be considered and order of another considered and order ord			be considered to involve		
which	nent which may throw doubts on priority claim (S) or is cited to establish the publication date of another n or other special reason (as specified)	"Y" document of particular relevance; the claimed inve				
"O" docum	ment referring to an oral disclosure, use, exhibition or means	document is combined with one or more other such documents, such combination being obvious to a person skilled in the art				
"P" document published prior to the international filing date "but later than the priority date claimed" "a"document member of the same patent family						
Date of the actual completion of the international search Date of mailing of the international search report						
30.Nov. 2005(30.11.2005) 0 5 · JAN 2006 (0 5 · 0 1 · 2 0 0 6) Name and mailing address of the ISA/CN Authorized officer						
The State Intellectual Property Office, the P.R.China Xitucheng Rd., Jimen Bridge, Haidian District, Beijing, China						
100088	86-10-62019451	Telephone No. (86-10)620857				

Form PCT/ISA /210 (second sheet) (April 2005)

NTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.
PCT/CN2005/001915

Patent Documents referred in the Report	Publication Date	Patent Family	Publication Date
CN1354074A	19.Jun. 2002	NONE	
CN2582931Y	29.Oct. 2003	NONE	
CN2475518Y	06.Feb. 2002	NONE	
JP2-235624A	18.Sep. 1990	JP6006356B	26.Jan. 1994
		JP1884247C	10.Nov. 1994
JP2003-325414A	18. Nov. 2003	NONE	
GB2181751A	29.Apr. 1987	JP62064786U	22.Apr. 1987
US4646543A	03.Mar. 1987	DE3614727A	30.Oct. 1986
		DK192186A	31.Oct. 1986
		GB2175020 A	19.Nov. 1986
		AU5686686A	04.Dec. 1986
		AU558866B	12.Feb. 1987
		JP62046687U	23.Mar. 1987
	 	JP4035433Y	21.Aug. 1992
		NZ216010A	28.Jul. 1988
		CA1265351A	06.Feb. 1990
		<u> </u>	

Form PCT/ISA /210 (patent family annex) (April 2005)

国际检索报告

国际申请号 PCT/CN2005/001915

A. 主题的分类

A47L11 / 22 A47L13 / 022 B25G1 / 00

按照国际专利分类表(IPC)或者同时按照国家分类和 IPC 两种分类

B. 检索领域

检索的最低限度文献(标明分类系统和分类号)

IPC7: A47L+ B25G+

包含在检索领域中的除最低限度文献以外的检索文献

中国专利文献(1985一)

在国际检索时查阅的电子数据库(数据库的名称,和使用的检索词(如使用))

CNPAT: 竹十木 柄十棍十棒

WPI, EPODOC, PAJ: bamboo or wood hub or shank or chip or stick or handle

C. 相关文件

类 型*	引用文件,必要时,指明相关段落	相关的权利要求
Α	CN1354074A (林奇文) 19.6 月 2002 (19.06.2002) 全文.	1-3
Α	CN2582931Y(曾庆芳)29.10 月 2003(29.10.2003) 全文	1-3
A	CN2475518Y (揭西县凤江风德塑料制品厂) 06.2 月 2002(06.02.2002) 全文	1-3
A	JP2-235624A (山本 敬一) 18.9 月 1990(18.09.1990) 全文	1-3
Α	JP2003-325414A(斯波明美) 18.11 月 2003(18.11.2003) 全文	1-3
Α	GB2181751A(CLOVER MFG 有限公司) 29.4 月 1987(29.04.1987) 全文	1-3
A	US4646543A(OKADA) 03.3 月 1987(03.03.1987) 全文	1-3

□ 其余文件在 C 栏的续页中列出。

☑ 见同族专利附件。

- * 引用文件的具体类型:
- "A"认为不特别相关的表示了现有技术一般状态的文件
- "E" 在国际申请日的当天或之后公布的在先申请或专利
- "L"可能对优先权要求构成怀疑的文件,或为确定另一篇 引用文件的公布日而引用的或者因其他特殊理由而引 用的文件
- "O" 涉及口头公开、使用、展览或其他方式公开的文件
- "P" 公布日先于国际申请日但迟于所要求的优先权日的文件
- "T" 在申请日或优先权日之后公布,与申请不相抵触,但为了 理解发明之理论或原理的在后文件
- "X" 特别相关的文件,单独考虑该文件,认定要求保护的 发明不是新颖的或不具有创造性
- "Y"特别相关的文件,当该文件与另一篇或者多篇该类文件 结合并且这种结合对于本领域技术人员为显而易见时, 要求保护的发明不具有创造性
- "&" 同族专利的文件

受权官员

国际检索实际完成的日期 30.11 月 2005(30.11.2005) 国际检索报告邮寄日期 05・1月 2006 (0 5・01・2006)

中华人民共和国国家知识产权局(ISA/CN) 中国北京市海淀区蓟门桥西土城路 6 号 100088

包嵌在 ... 电话号码: (86-10)62085753

PCT/ISA/210 表(第 2 页) (2005 年 4 月)

传真号: (86-10)62019451

国际检索报告 关于同族专利的信息 国际申请号 PCT/CN2005/001915

	关于同族专利的信息		-
检索报告中引用的 专利文件	公布日期	同族专利	公布日期
CN1354074A	19.06月 2002	无	
CN2582931Y	29.10 月 2003	无	
CN2475518Y	06.02 月 2002	无	
JP2-235624A	18.09月 1990	JP6006356B	26.01 月 1994
		JP1884247C	10.11 月 1994
JP2003-325414A	18.11月 2003	无	
GB2181751A	29.04 月 1987	JP62064786U	22.04 月 1987
US4646543A	03.03 月 1987	DE3614727A	30.10 月 1986
		DK192186A	31.10 月 1986
		GB2175020 A	19.11 月 1986
5		AU5686686A	04.12 月 1986
		AU558866B	12.02 月 1987
		JP62046687U	23.03 月 1987
		JP4035433Y	21.08 月 1992
		NZ216010A	· 28.07 月 1988
		CA1265351A	06.02 月 1990



Section V 2. of the PCT International Preliminary Examination Report

D1: CN 1354074A D2: CN 2582831Y

The present invention relates to a bamboo handle.

Novelty and Inventiveness

D1 is a reference directed to a complex bamboo handle and discloses method for making the bamboo handle which has bamboo pieces arranged in an orderly single layer or in juxaposedly multiple layers (see page 1, lines 10-15 in the specification and Figure 1). D2 is another reference directed to bamboo round handle and discloses bamboo chip pieces glued together and arranged as in Figure 1 (see page 1, line 18 to page 2, line 5 in the specification). Both references neither disclose nor technically motivate the present invention as disclosed in claim 1 with the arrangement of the bamboo handle, nor do other references listed in the search report. Therefore, claims 1, 2, and 3 are novel (PCT33(2)) and have inventive step (PCT33(3)).

Industrial Applicability

Claims 1-3 disclose a technical invention which may be produced and used and tool handle, thus, claims 1-3 have applicability.